INDEX.

Page.

Acanthocrinus rex 57
Acantholyda (Acantholyda) pini 377
Acordulocera 379
knabi 383
Actinocrinus jugosus 182, 189
Actinometra 66, 69, 83, 95, 96, 98, 99, 125
cheltonensis 79
japonica 97, 101
robusta 77
Adiantites parvifolius 328
Agaricocrinus americanus 182, 185, 188, 215, 220
nodulosus 185, 188, 220
Agarista glycinæ 281
Agassizocrinus 65, 66, 96, 99, 107, 108
Agiommatus 278
sumatraensis 278
Alabama, mosasauroid reptile, new, from the cretaceous of 479
Alauna goodsiri 662
Alethopteris albertsii 310
browniana 312, 314
cycadina 315
grandini 497
reichiana 312
serlii 497
Allantus 407
cinctus nigritibialis 407
cingillum 407
elegantulus 411
mellipes 407
trosulus 410
Alligator, a new fossil, from the Hell Creek Beds of Montana 297
Alloprosallocrinus conicus 185, 220
Alvania, mollusks, recent and fossil, of the genus, from the west coast of America 333
acutilirata 352
æquisculpta 334, 358
alaskana 343
albolirata 333, 338
almo 359
aurivillii 334, 336
bakeri 337
californica 340
carpenteri 333, 341
castanea 343
var. alaskana 334
castanella 334, 336
clarionensis 356
compacta 351
cosmia 352
effusa 333, 358
electrina 346
excurvata 333, 344
filosa 333, 342

Page.

Alvania, fossilis 334, 349
galapagensis 347
halia 354
hoodensis 345
iliuliukensis 350
ima 355
lara 357
lirata 338
montereyensis 343
nemo 348
oldroydæ 360
pedroana 334, 341
perlata 333, 347
profundicola 345
purpurea 334, 353
reticulata 333, 341
rosana 349
trachisma 339
tumida 333, 361
Ambystoma macrodactylum 517, 518
stejnegeri 517, 518
Amelanchier canadensis 405
Ametastegia 399
glabrata 408
Amia, notes on some fishes of the genus 245
albomarginata 438
(Amioides) grossidens 440
angustata 246, 253, 257
aroubiensis 250, 257
atradorsata 259
atrogaster 439
carinata 438
compressa 245, 246
dienæa 431
diversa 434
ellioti 438
fasciata 246, 249, 254
glaga 438
hyalina 433
jenkinsi 435
lineata 437, 438
margaritophora 433
multilineata 246, 259
multitæniata 259
nigrocincta 435
novemfasciata 251, 254, 256, 257
parvula 432
robusta 246, 254, 257, 260
striata 437, 438
uninotata 436
versicolor 246, 257
Amioides 431, 439
Amphisbæna occidentalis 284
townsendi 283
Amphisbænoid lizard, description of a new, from Peru 283

Page.

Amphithalamus, mollusks of the genus, from West America 263
inclusus 263, 264
lacunatus 263
tenuis 263, 264
Amphoracrinus 181, 188
Amplexus brevis 219
rugosus 219
Ampulex caniculata 464
pennsylvanicus 464
Amygdalocystis 19
Ancistrocerus (Stenancistrocerus) ceanothi 449
Ancyrocrinus 17, 32, 46, 123
Aneugmenus diversicolor 390
flavipes flavipes 390
occidentalis 390
flavitarsis 390
nigritarsis 390
Annularia maxima 502, 503, 506
spicata 506
stellata 507
Anomalocystis 22, 26, 121, 126
cornutus 22, 23
disparilis 22, 23, 29
Anomalodon incisus 550
Anoplus banjos 540
Antedon 65, 66, 68, 75, 95, 96
campichei 77
depressa 79, 80
eschrichti 77
laticirra 70
nobilis 70
scrobiculata 80
(Solanocrinus) scrobiculata 79, 80
scrobiculatus 69
thiollieri 78
Antennaria microphylla 239
Anthias diagramma 546
hamrur 528
japonicus 555
macrophthalmus 528, 529
Anthracosia 506
Aomodyctium 399
Aorocrinus 124
Apanteles (Protapanteles) 279
Aphilodyctium maculatum 408
multicolor erythryogastrum 408
rubripes nigritarsis 408
Apiocrinus 72, 80
roissyanus 52
Apis rostrata 466
Apogon aroubiensis 250
fasciatus 250, 251
multitæniatus 250
novemfasciatus 251
Aprion 563
Arachnocrinus 105, 106
Arachnocystis 15
infaustus 7
Araucarites, sp 507, 508, 510
Argyrops (spinifera) 575
Aristocystis bohemicus 6, 9
desiratus 10
Aristocystites? subcylindricus 9
Ascocystis 16
Aspidiopsis, sp 506

Page.

Aspidium angustipinnatum 311
dunkeri 318, 319
fredericksburgense 315
heterophyllum 316
oerstedi 311, 312
parvifolium 318
Asplenioperis 325
Asplenites roesserti 308
Asplenium 308
dicksonianum 323, 327
distans 320
lagubre 309
nauck hoffianum 323
Atelecrinus 66
Atomacera decepta 382
Aulacopoda 371

Balanocrinus 42
Banjos banjos 540
typus 540
Banjosidæ 540
Bartsch, Paul, New marine mollusks from Bermuda 303
The recent and fossil mollusks of the genus Alvania from the west coast of America 333
The West American mollusks of the genus Amphithalamus 263
The West American mollusks of the genus Cingula 485
The West American mollusks of the genus Nodulus 289
Barycrinus 199
asperrimus 200
bullatus 202
cornutus 186, 200, 219, 220
quinquelobus 201
rhombiferus 199, 200, 201
sculptilis 202
stellatus 200
tumidus 201
wachsmuthi 202
Bassler, Ray S., The Waverlyan period of Tennessee 209
Bathycrinus 84
Bathycuma 615
(?) longicaudata 614
Batrachians from Costa Rica and Panama, descriptions of three new 285
Beaumontia americana 219
Bees of the genus Nomada found in North America 225
Belemnocrinus 181
Bembyx cameroni 467
obsoleta 467
primæstate 466
Bephrata cubensis 274
paraguayensis 274
Bermuda, new marine mollusks from 303
Berry, Edward W., A revision of the fossil ferns from the Potomac group which have been referred to the genera Cladophlebis and Thyrsopteris 307
Bifidaria 372, 375
Blastoidea 204

Page.

Blennocampides ... 391
?Boaxodon (cyanescens) ... 507
Bodotria, sp ... 609
pulex ... 609
Boettcher, F. L. J., Preservation of osseous and horny tissues ... 607
Bothriocidaris ... 12
Bottosaurus ... 297
harlani ... 297, 300
perrugosus ... 298
Boulengerina ... 522
sandvicensis ... 524
tæniura ... 522
Bourgueticrinus ... 75
Brachiocrinus ... 48
Brachychampsa (Bottosaurus) perrugosa ... 298
montana ... 298, 300
Brachysaurus overtonii ... 479
Bruchus prosopidis ... 448
Bunostomum trigonocephalum ... 365

Cactocrinus ... 181, 189
Cæloides pectinator ... 293
Calamites kutorgæ ... 510
Calamocrinus ... 97
Caleocrinus interpres ... 45
Callipteridium gigas ... 504
Callipteris sp ... 507, 511
conferta ... 508
cf. curretiensis ... 508
goepperti ... 513
cf. goepperti ... 508
cf. hymenophylloides ... 510
cf. jutieri ... 508
lyratifolia? ... 508
cf. lyratifolia ... 510
oxydata ... 508
cf. scheibei ... 508
subauriculata ... 508
whitei ... 508
Calman, William T., The crustacea of the order Cumacea in the collection of the United States National Museum ... 603
Caloptilia immunda ... 383
nuberculosa ... 383
rosenberg ... 383
piceotergn ... 383
Camarocrinus ... 31, 55, 56
Camptocrinus ... 53
Camptosaurus, the mounted skeletons of, in the United States National Museum ... 687
browni ... 687, 689, 691, 693, 695
dispar ... 688, 691
nanus ... 687, 694
Campylaspis affinis ... 628
carinata ... 626
horrida ... 606, 627
rubicunda ... 627
vitrea ... 628
Carabocrinus ... 85, 92, 105
radiatus ... 84
Cardiocarpon ... 499
Carpolithes, sp ... 506, 508
Catillocrinus tennesseæ ... 194
tennesseensis ... 185, 186

Page.

Cephalanthus occidentalis ... 404
Cerapterocerus ... 277
Ceratophrys ... 287
Cercoris flavotrochanterica ... 471
grandaral ... 470
occipitomaculata ... 470
Cerithiopsis cynthia ... 304
hero ... 303
iontha ... 304
Chalcis compsiluræ ... 272
minuta ... 272
paraplesia ... 272
thracis ... 272
Cheilodipteridæ, descriptions of fifteen new fishes of the family, from the Philippine Islands and contiguous waters ... 431
Cheilodipterus lineatus ... 441
nigrotæniatus ... 442, 444
quinquelineatus ... 441
singapurensis ... 441
zonatus ... 443
Cheirocrinus ... 14, 17, 19
penniger ... 20
perplexus ... 194
walcotti ... 20
Chionæcetes opilio ... 606
Chonetes fischeri ... 217
illinoisensis ... 219
multicosta ... 217
pulchella ... 217
Chortoicetes pusilla ... 268
terminifera ... 269
?Chrysoblephus gibbiceps ... 580
Chrysophrys aries ... 581
aurata ... 580
calamara ... 583
cardinalis ... 573
chrysargyra ... 581
cuvieri ... 585
datnia ... 585
hasta ... 583, 585
longispinis ... 583, 586
major ... 576
sarba ... 581
schlegeli ... 584, 585, 586
tumifrons ... 570, 571
unicolor ... 578
xanthopoda ... 583
Chydorus bicornutus ... 165
faviformis ... 165, 169
Cingula, mollusks of the genus, from the west coast of America ... 485
alaskana ... 486
aleutica ... 487
inconspicua ... 333, 485
katherinæ ... 488
martyni ... 485
montereyensis ... 488
paupercula ... 485
robusta ... 485
martyni ... 485
scipio ... 485, 486
(?)terebellum ... 333, 485
(?)turrita ... 333, 485
Cladocera from New England, descriptions of recently discovered ... 161

Page.

Cladoconus americana 219
Cladophlebis 307,308,309
acuta 320
angustifolia 320
alata 313
albertsii 310,311,312,314,321
brevipennis 317,318
browniana 309,312,319,320
constricta 314
crenata 313
denticulata 309,310,311
distans 315
dunkeri 318
falcata 320
montanensis 320
inæquiloba 313
inclinata 311,313,316
latifolia 314
lobifolia 309
nathorsti 321
oblongifolia 313,320
pachyphylla 311,312
parva 316
petiolata 313
rotundata 317,318
cf. tenuis 508,511
ungeri 314,318,319
virginiensis 312,314,320,321
whitbyensis 308
Clark, Austin Hobart, A new unstalked crinoid from the Philippine Islands 171
Clathropteris 494
Cleiocrinus 60
Cockerell, T. D. A., Names applied to bees of the genus Nomada found in North America. 225
Codaster 181,206
Cœlocrinus 124
Cœloides brunneri 293
?Coius datnia 583
Colurostylis (?) occidentalis 608,670
Comaster delicata 171
multifida 171,172
taviana 172
typica 171
variabilis 171
Compsilura concinnata 272
Coniopteris 324
Conocoxa 379
chalicipoda 379
Conularia byblis 217
Cordaites linearis? 508
principalis 502,504
Cordylocrinus 58,123
plumosus 58
Costa Rica, three new batrachians from 285
Cotylederma 114
Craterina 6,8,10
Craterocercus 385
Crawford, J. C., Descriptions of new hymenoptera, No. 3 267
Cremastus 294,295
?Crenidens leonina 592
melanichthys 592
punctatus 589
Crinoid, a new unstalked, from the Philippine Islands 171
fauna of the Knobstone formation 175

Page.

Cryptoblastus 181
Ctenobolbina loculata 217
Cuma bispinosa 658
lucifera 662
nasica 619
rathkii 652
resima 666
rubucunda 627
Cumacea, the crustacea of the order, in the collection of the United States National Museum 603
Cumella (?) carinata 626
pygmæa 626,627
?species 627
Cumopsis 616
Cyatheites miltoni 502
unitus 502
Cyathocrinus 181,195
barydactylus 198
bursa 198
calcaratus 198
conicus 196
geometricus 197
kelloggi 196
lamellosus 197
macropleurus 203
multibrachiatus 196
nodosus 198
pentasphericus 198
rigidus 196
saffordi 198
Cycadospadix? sp 508
Cyclaspis levis 611
longicaudata 607,609
varians 610
Cystodictya pustulosa 219

Dadocrinus 97
Dasymutilla allardi 463
blawa 457,461
blawana 461
bosquensis 457
bruneri 460
carolina 462
castor 455
champlaini 461
coloradella 458
kamloopsensis 459
errans 457
ferrugata, var. balabetei 456
ferrugatella 458
formicalia 463
georgiana 456
mesillæ 461
mutata miamensis 462
plesia 456
scrobinata 462
segregata 459
finni 459
texensis 460
Dendroctonus pseudo sugæ 293
Dendrocystis 18
Dentex blochii 563
griseus 568
hypselosomus 571
lethrinoides 568
setigerus 564

Page.

Dentex thunbergi 567
thunbergii 568
xanthopterus 568
Derecytra pictipennis 378
variipennis 378
Diagramma aporognathus 544
balteatum 547, 548
blochii 547, 548
centurio 547
cinctum 549
cinerascens 546
diagramma 545
japonicum 544
lineatum 546
ocellatum 547
pertusum 546
pictum 546, 548
pœciloptcrum 547
punctatum 546
thunbergii 547
Diala electrina 333, 346
Diamenocrinus 57
Diastylis alaskensis 641
argentata 649
aspera 647
bidentata 637, 645
cornuta 607
dalli 635, 639
fimbriata 651
fistularis 608
goodsiri 662
lucifera 662
luciferus 662
nucella 645
planifrons 643
polita 607, 655
politus 655
quadrispinosa 607, 658
rathkii 606, 652
var. glabra 652
sarsi 652
scorpioides 634, 635, 636, 637
sculpta 607, 657
stygia 661
sulcata 654
Diastylopsis dawsoni 662
(?) resima 666
thileniusi 665
Dicksonia 331
elongata 325
Dicksonias johnstrupi 323
Dimorphopteryx abnormis 406
melanognathus 406
pinguis 405
errans 406
virginica 406
Diplocynodon 297
Diploporita 12
Diplothmema pachyderma 507
Dipterygonotus 597
Discina saffordi 217
Disnoicus tetartus 270
Dizygocrinus 181
Dolatocrinus 32, 46
Dolerophyllum?, sp 507
Doolittle, Alfred A., Descriptions of recently discovered Cladocera from New England ... 161

Page.

Dorsuarius nigrescens 594
Dorycrinus gouldi 182, 185, 188, 189, 220
Drymocallis fissa 239
Dryobates scalaris 139, 142, 147, 148
agnus 140, 150, 153
azelus 141, 142, 147, 148, 158
bairdi 140, 144, 145, 148, 153, 156, 158
cactophilus 140, 150, 154, 155, 156, 157
centrophilus 140, 148, 153, 157, 158
eremicus 141, 151, 152, 154
graysoni 141, 148, 149
leucoptilurus 146, 147, 148
lucasanus 141, 149, 150, 151, 154
parvus 140, 144, 145, 146
percus 140, 144, 145, 148
ridgwayi 140, 143, 144, 146, 148
scalaris 140, 141, 142, 143, 146, 153, 158, 159
sinaloensis 140, 148, 149, 150, 157
symplectus 140, 142, 154, 155, 157
Dryopteris angustipinnata 311
fredericksburgensis 315
heterophylla 316
montanense 320
oerstedi 311
parvifolia 318
Dules argenteus 523
benetti 523
ciliatus 525
maculatus 525
malo 525
marginata 525
papuensis 525
tæniurus 522

Echinoencrinus 21
Echinosphæra 5, 6, 8, 11, 15
aurantium 5, 7
Echinosphærites infaustus 15
Edriocrinus 4, 65, 66, 96, 99, 114
dispansus 112
pyriformis 112
sacculus 112, 113
Elachertus euplectriformis 282
Eleutherocrinus 14, 21, 30, 109, 110, 111, 121, 125
Eleutherozoic Pelmatozoa, the structure and relationships of certain 1
Emmelichthys (nitidus) 597
schlegeli 598
Emphytina canadensis 402
pallidacapa 401
plesia 402
pulchella 399, 400
stramineipes 401
virginica 401
Emphytus leucostomus 402
Empria maculata 398
schwarzi 398
Endoxocrinus wyville-thomsoni 37
Equisetites, sp 507
Eretmocrinus 124
prægravis 185, 187, 220
prodigialis 187
ramulosus 185, 187, 220
yandelli 185, 187

Page.

Erigeron radicatus 238
Erinocystis 19
volborthi 19
Erionota thrax 273, 277
Erythrichthyidæ 597
Erythrichthys schlegeli 597, 598, 599
scintillans 599
Etmopterus brachyurus 679
lucifer 581, 679
Estheria 495, 506
Eucalyptocrinus 60, 61, 62
Eudesicrinus 114
Eudiocrinus 65, 66
Eudora truncatula 620
Eudorella deformis 623, 625
emarginata 620
hispida 621
integra 624, 625
monodon 622
pusilla 607, 620
truncatula 607, 620
Eudorellopsis biplicata 625
deformis 623
integra 606, 624
Euphata boulderensis 455
sparsiformis 455
Euplectrus agaristæ 281
bussyi 279
ceylonensis 281
fukaii 279, 280, 281
insulanus 281
medanensis 280, 281
Euryocrinus 193
Eurytoma australiensis 274
eucalypti 274
fulvipes 273
nesiotes 273
pyrrhocerus 273
Eusemion 277
Euthyopteroma bathybium 564
virgatum 564
Evynnis cardinalis 573, 575, 576, 577, 578, 579, 580
Favosites valmeyerensis 219
Fenestella regalis 219
Ferns, fossil, from the Potomac group, referred to the genera Cladophlebis and Thyrsopteris 307
Ferrugatarum 456
Fishes of the family Cheilodipteridæ, descriptions of fifteen new, from the Philippine Islands and contiguous waters 431
Fishes of the genus Amia, notes on, with descriptions of four new species from the Philippine Islands 245
Fishes, perch-like, a review of, found in the waters of Japan 521
Forbesiocrinus communis 192
nobilis 192
saffordi 192
wortheni 181
Fossil alligator from the Hell Creek Beds of Montana 297
ferns from the Potomac group, a revision of the 307
mollusks of the genus Alvania from the west coast of America 333

Page.

Fossil plant, the characters of the, Gigantopteris, and its occurrence in North America 493
Fungocystis 6, 8

Gaigeria pachyscelis 365
Gastrotheca 288
coronata 287
ovifera 288
Gigantopteris, the characters of the fossil plant, and its occurrence in North America 493
americana 498, 505, 507
nicotianæfolia 498, 502
Gilmore, Charles W., A new fossil alligator from the Hell Creek Beds of Montana 297
A new mosasauroid reptile from the cretaceous of Alabama 479
The mounted skeletons of Camptosaurus in the United States National Museum ... 687
Girella leonina 592
melanichthys 592
mezina 591
punctata 589
Glenopteris linearis 508
lobata 508
sterlingi 508
Globidens alabamaensis 479
Glyptocrinus dyeri 44
schafferi 44
Glyptocystis 14, 17
Gomphostrobus? sp. 506
bifidus 506, 510
Gorytes bipunctatus 469
coquilletti 469
(Gorytes) neglectus 468
nigrifrons 468
Grammistes diagramma 546
pictus 546
servus 536
Granatocrinus granulosus 205
Gymnocranius griseus 568, 570
lethrinoides 568, 570
rivulatus 568
Gynodiastylis 608

Hæmonchus contortus 365
Hæmulidæ 542
Halictus sansoni 267
Haltichella bicolor 272
dexius 272
fabricator 271
indignator 271, 272
internata 271
nyssa 272
proxenus 272
stokesi 271
Halysiocrinus perplexus 186, 194, 220
Hanna, G. Dallas, The American species of Sphyradium with an inquiry as to their generic relationships 371

	Page.
Hapalocrinus	58
Hapalogenys analis	553
kishinouyei	554
maculatus	551, 552
mucronatus	552
nigripinnis	551, 552, 553
nitens	550, 551
Haplostegus mexicanus	378
Hemichroa albidovariata	385
fraternalis	385
phytophagica	385
Hemidianeura albocoxa	382
tenebrica	382
Hemitaxonus albidopictus	397, 398
dubitatus	397
var. amicus	397
rufopectus	398
Herpetocrinus	47, 48
Heterocuma diomedeæ	612
sarsi, var. granulata	612
weberi	613
Heterognathodon doderleini	556, 557
guliminda	556
Holocentrus radjabon	546
servus	535, 536
Holocrinus	42
Holopus	114
Homarus americanus	607
gammarus	607
Homocrinus scoparius	58
Hyla ceratophrys	286
marsupiata	288
Hymenoptera, descriptions of new	267
Hymenopteris psilotoides	330
Hynnodus antherinoides	446
megalops	445

Ichneumon-flies, descriptions of one new genus and three new species of	293
Ichthyocrinus tiaræformis	183
Idiophyllum	494
Iowa, description of a new salamander from	517
Isacia conceptionis	544
Isocrinus alternicirrus	33
decorus	34, 35, 40, 79
parræ	33, 37
(maclearanus)	33, 37
wyville-thomsoni	33

Japan, a review of the Sparidæ and related families of perch-like fishes found in the waters of	521
Jordan, David Starr, and William Francis Thompson, A review of the Sparidæ and related families of perch-like fishes found in the waters of Japan	521

Kirk, Edwin, The structure and relationships of certain Eleutherozoic Pelmatozoa	1
Klukia	309, 314
Knobstone formation, the crinoid fauna of the	175
Kuhlia argo	523, 524
(ciliatus)	524
malo, var. sandvicensis	524

	Page.
Kuhlia marginata	525, 526
tæniura	522
xenura	524
Kuhliidæ	521
Kyphosidæ	588
Kyphosus	594
bigibbus	594
cinerascens	596
indicus	596
lembus	595
Labid a opimus, var. bigeminus	411
Labocrinus nashvillæ	185
Labrus auratus	575, 578
thunbergi	567, 568
Ladder-backed woodpecker (Dryobatis scalaris), a revision of the forms of the	139
Lamprops (?) beringi	630
fasciata	607
fuscata	606, 629
quadriplicata	607, 629
Lasiocladia hindei	219
Lecaniobrius cockerelli	275
Leda bellistriata	217
Lepadocrinus	17, 123
Lepidamia noordzieki	260
Lepidodendron oculis-felis	503, 504
Lepidophyllum	502
Lepidorhinus foliaceus	679
Leptæna rhomboidalis	112
Leptocuma	615
kinbergii	616, 618
minor	607, 616
Leptopygus harpurus	295
Leptostylis thileniusi	606
Lethrinichthys	556
Lethrinus chœrorhynchus	562
guntheri	562
hæmatopterus	560, 562, 563
nematacanthus	558, 559
richardsonii	561, 562, 563
Leucon deformis	623
emarginatus	620
longirostris	619
nasica	606, 619
nasicoides	619
nasicus	619
Leurocerus	276
ovivorus	277
Lichenoides	16, 109
Lithostrotion canadense	211
mamillare	211
Lizard, description of a new Amphisbænoid, from Peru	283
Loboceras mexicanum	381
trimaculatum	381
trinotatus	381
varicone	381
Lobocrinus nashvillæ	188, 220
robustus	188
Lobolithus	31, 56
?Lobotes microprion	568
Lonsdalia canadense	210, 215
Lutjanus hamrur	528
pertusus	546
pictus	546
Lycaota coloradensis	384

Page.

Lycænota fusca ... 384
sodalis ... 384
spissipes ... 384, 385
brunneus ... 384

Macrocystella ... 109
Macrodon hamiltonæ ... 213
Macrophya albifacies ... 410
dyari ... 410
errans ... 411
fuliginea ... 410, 411
fuscoterminata ... 410, 411
napensis ... 410
trosula ... 410
Macrostachya?, sp ... 511
Mariacrinus ... 125
paucidactylus ... 43
warreni ... 43
Marlattia erythrothorax ... 385
Marsupites ... 65, 66, 82, 88, 99, 103, 104
Mastigocrinus loreus ... 45
Megalopteris nicotianaefolia ... 493
Megarhogas longipes ... 293
theretræ ... 294
Megistocrinus ... 32, 92, 181, 188
Megophrys ... 287
Melanichthys crenidens ... 502
Mesocrinus ... 77
Mespilocrinus ... 181, 191
Metablastus ... 206
Metacrinus angulatus ... 33
rotundus ... 41
Metichthyocrinus ... 181
clarkensis ... 192
tiaræformis ... 185, 191, 219
Michelinia ... 218
Millericrinus ... 51, 53, 80, 81
beaumonti ... 71
charpyi ... 71
gracilis ... 71
prattii ... 4, 48, 49, 51, 52, 65, 71, 73, 79, 81, 83, 122
recubariensis ... 71
Mionorus ... 438
Mitrocystis ... 27, 28, 29
Mollusks, new marine, from Bermuda ... 303
of the genus Amphithalamus from West America ... 263
of the genus Cingula, from the west coast of America ... 485
of the genus Nodulus, west American ... 289
recent and fossil, of the genus Alvania, from the west coast of America ... 333
Monilopora crassa ... 219
Monophadnus alveatus ... 391
Montana, a new fossil alligator from the Hell Creek Beds of ... 297
Moronopsis ciliatus ... 525
(marginatus) ... 524
tæniurus ... 522
Mosasauroid reptile from the cretaceous of Alabama, a new ... 479
Mullus fasciatus ... 249
Mutilla ferrugata ... 456, 457
Myrtillocrinus ... 46

Page.

Nasisqualus ... 681
profundorum ... 681
Neamia ... 441
octospina ... 441
Nectocrangon lar ... 606
Nematodes, two new species of parasitic ... 363
Nemipterus bathybius ... 566
japonicus ... 564
sinensis ... 564
virgatus ... 564
Neocystites bohemicus ... 47
Nesoselandria rufonota ... 389
Neucopteris albertsii ... 310
Neuropteridium, sp ... 502
cf. bergense ... 502
Neuropteris, sp ... 507
angustifolia ... 502
auriculata? ... 508, 510
cordata ... 506
flexuosa ... 502
cf. lindahli ... 505
matheroni ... 502, 503
odontopteroides ... 508
permiana ... 508
planchardi ... 502
rarinervis ... 494
scheuchzeri, var ... 508
New England, descriptions of recently discovered Cladocera from ... 161
Nithulea ... 380
nigrata ... 380
Nodulus, west American mollusks of the genus ... 289
asser ... 289, 290
cerinellus ... 289
kelseyi ... 289, 290
kyskensis ... 289, 291
Noeggerathia ... 501, 508
Nomada, bees of the genus, found in North America ... 225
accepta ... 237
americana var. valida ... 238
citrina ... 236, 237
civilis ... 237, 240
crawfordi ... 239, 240
cresonii ... 239
custeriana ... 241
cymbalariæ ... 239
ednæ ... 240
elrodi ... 243
fragilis ... 237
friesana ... 238
(Gnathias) bella ... 241
custeriana ... 241
mera ... 239
(Micronomada) vegana ... 237
mimula ... 240
modocorum ... 238
(Nomadula) articulata dacotana ... 237
martinella ... 237
oregonica ... 239
osborno ... 243
pacata ... 241
parata ... 241
pervincta ... 236, 237, 243
sanctæcrucis ... 240
sayi ... 238, 239

Page.

Nomada, species, list of ... 226
sulpharata ... 236, 237
superba ... 240
taraxacella ... 238
texana ... 238, 242
ultima ... 238
vexator ... 243
(Xanthidium) arizonica ... 242
xantholepis ... 239, 240
North America, bees of the genus Nomada found in ... 225
the characters of the fossil plant Gigantopteris Schenk and its occurrence in ... 493
Notidanoid shark from the Philippine Islands, description of a new ... 489
Nototrema oviferum ... 288
Nucleocrinus ... 206

Obera tripunctata ... 295
Oberholser, Harry C., A revision of the forms of the ladder-backed woodpecker Dryobates scalaris [Wagler] ... 139
Odontopteris ... 495
brardii ... 508
fischeri ... 505, 512
minor ... 508
neuropteroides ... 505
permiensis ... 512
cf. permiensis ... 507
reichiana ... 504
subcrenulata ... 510, 511
Odynerus (Stenodynerus) canamexicus ... 448
Oesophagostomum columbianum ... 365
Oligometra adconæ ... 172
Oniscus scorpioides ... 634, 641
Onoba aleutica ... 289, 485, 487
cerinella ... 289, 290
saxatilis ... 289
Onychiopsis ... 308, 321, 324
brevifolia ... 328, 329
elongata ... 325, 331
goepperti ... 325, 329, 331
latiloba ... 329, 332
mantelli ... 322, 330
nervosa ... 327, 329
psilotoides ... 327, 329, 330, 331
Onychium ... 325, 331
Onychocrinus ... 181
Ooencyrtus papilionis ... 277
Ophryoxus gracilis ... 163
Opisthistius tahmel ... 596
Orbitremites ... 181, 205
Orgyia antiqua ... 270
Orocystis helmhackeri ... 10
Orophocrinus ... 204
stelliformis ... 204
Orthopristis ... 550
Oxyurostylis ... 666
smithi ... 607, 608, 667

Pachynematus alaskensis ... 387
ocreatus ... 387
piceæ ... 387
Pachytylus australis ... 269
Pagrosomus auratus ... 575, 579, 580
major ... 571, 573, 574, 575, 576, 577, 578, 579, 580
Pagrus arthurius ... 577, 579
cardinalis ... 573
guttulatus ... 579
latus ... 579
micropterus ... 579
pagrus ... 581
ruber ... 577
tumifrons ... 571
unicolor ... 576, 578, 579
Paleacis ... 218
Panama, three new batrachians from, descriptions of ... 285
Paradentex (microdon) ... 568
Paradules marginatus ... 525
tæniurus ... 522
Paralamprops oribicularis ... 607, 621
serrata costate ... 632, 634
trilineatum ... 544
Parasierola cellularis ... 447
distinguenda ... 448
var. gracilicornis ... 448
Parasiobla rufocinctus ... 406
Parophryoxus tubulatus ... 161, 162
Pecopteris ... 308, 495
Pecopteris, sp ... 502, 503
andersoniana ... 315
angustipennis ... 313
arborescens ... 505, 510
arctica ... 315
brevipennis ... 319
browniana ... 312
bucklandi? ... 508
(Callipteridium?), sp ... 502
(Cladophlebis?), sp ... 502
constricta ... 313
cyathea ... 504, 507
densifolia? ... 505
dunkeri ... 318, 319
exiliformis ... 318
exilis ... 318
foeminaeformis ... 510
geinitzi ... 507, 511
cf. geinitzii ... 508
geyleriana ... 318
gœpperti ... 504
grandifolia ... 505
hemitelioides ... 505, 508
hyperborea ... 315
microdonta ... 313
ovatodentata ... 313
pachyphylla ... 319
pinnatifida ... 508, 510, 511
polymorpha ... 318, 319, 508
socialis ... 313
strictnervis ... 313
tenuinervis ... 505
ungeri ... 318, 319
unita ... 508
virginiensis ... 313
whitbiensis ... 310
Pelates ... 539
Pelmatozoa, the structure and relationships of certain Eleutherozoic ... 1
Pentacrinus ... 53, 84
briareus ... 39, 40, 42
cirri ... 40

	Page.
Pentacrinus dargniesi	39
decorus	33
(Extracrinus) collenoti	79
dargniesi	79
fossilis	42
sorlinensis	80
Pentanchidæ	489
Pentanchus profundicolus	490
Pentremites	30, 206
conoideus	206
sirius	204
Perca agrentea	523
pertusa	546
picta	546
trilineata	543, 544
Perilampus nesiotes	275
Perineura turbata	408
Peru, description of a new Amphisbænoid lizard from	283
Petalopus declivis	675
Petalosarsia declivis	675
Phanogenia carpenteri	172
Phegopteris decussata	309
Philippine Archipelago, the Squaloid sharks of the, with descriptions of new genera and species	677
Philippine Islands, a new unstalked crinoid from the	171
and contiguous waters, descriptions of fifteen new fishes of the family Cheilodipteridæ from the	431
description of a new Notidanoid shark from the	489
notes on some fishes of the genus Amia, with descriptions of four new species, from the	245
Phillipsia tennesseensis	217
Picus bairdi	158, 159
gracilis	141, 142
lucasanus	150
orizabæ	141, 142
parvus	145
scalaris	141
var. graysoni	148
d'orizaba	143
vagatus	145, 146
Pimelepterus bosqui	594
cinerascens	596
indicus	596
lembus	595
tahmel	596
ternatensis	595
Placocystis	23, 24
Plagiozamites planchardi	504
Platyaspis orbicularis	621, 622
typica	634
Platycampus juniperi	386
Platycarpus	481, 482, 483, 484
Platycrinus americanus	189
burlingtonensis	190
granosus	190
lævis	191
occidentalis	189
Platycrinus planus	190
pocilliformis	190
scobina	190
sculptus	190
verrucosus	190
yandelli	189
Platycystis	19
Plectorhynchus balteatus	547
blochii	547
chætodonoides	545
cinctum	549, 552
cinctus	549
pertusus	546, 549
pictus	546
poecilopterus	547
punctatus	546
Pleurocystis	14, 18, 20, 21, 121, 126, 128
Pleurocystites filitextus	14
Pleurotomaria hickmanensis	217
Plioplatycarpus	484
Poacordaites, sp	510
linearis	508
tenuifolius	506
Podium carolina	465
(Parapodium) carolina	465
Pogonias nigripinnis	550, 551
Politum	472
Pomadasis	550
(Porizon) Zaleptopygus orbitalis	294
Poteriocrinus	202
crassus	203
doris	203
spissus	203
Potomac group, fossil ferns from the, referred to the genera Cladophlebis and Thyrsopteris	307
Priacanthidæ	527
Priacanthus alticlarens	533
benmebari	531
bleekeri	531
boops	532, 533
cruentatus	530, 532
hamrur	528, 530, 531
japonicus	529, 532, 533
macranthus	530, 532
macropus	533
meyeri	534, 535
niphonius	533, 534
refulgens	534
schlegeli	529, 530
speculum	529
supraarmatus	532, 533
Pristipoma bennetti	550
japonicum	544
mucronatum	552
peroteti	550
rogeri	550
Pristipomoides sparus	567, 568
thunbergi	568
Pristomerus	294, 295
Producta concentrica	217
Productus	218
Protocrinus	12, 109
Pseudomasaris albifrons	451
phaceliæ	450
zonalis basirufus	452
neomexicanus	452

Page.

Pseudopriacanthus 527
meyeri..... 535
Pseudosiobla 403
cephalanthi..... 404
excavata..... 404
floridana..... 403
robusta..... 403
Psygmophyllum cuneifolium..... 512
Pteris albertini..... 310
albertsii..... 310
Pteronidea dubius..... 386
winnanæ..... 386
Ptilopora cylindracea..... 219
Pupa alticola..... 373
edentula..... 374
simplex..... 374
Pupilla alticola..... 373
Pupoides..... 372, 375
Pycnomutilla boulderensis 455
harmonia..... 455, 461
harmoniiformis..... 455
sparsiformis..... 455
Pyrocystis pirum..... 16

Radcliffe, Lewis, Descriptions of fifteen new fishes of the family Cheilodipteridæ, from the Philippine Islands and contiguous waters..... 431
Notes on some fishes of the genus Amia, family of Cheilodipteridæ, with descriptions of four new species from the Philippine Islands..... 245
Ransom, Brayton Howard, Two new species of parasitic nematodes..... 363
Reptile, a new mosasauroid, from the cretaceous of Alabama..... 479
Rhabdocarpos sp 508
cf. dyadicus..... 511
Rhinopsis abbottii..... 464
caniculatus..... 464
melanognathus..... 464
Rhipidomella michelinia..... 219
Rhizocrinus..... 72, 84
Rhodocrinus..... 57
Rhombopora incrassata..... 219
Rhynchonella sageriana..... 217
Rissoa acutilirata..... 334, 352
albofirata..... 338
(Alvania) grippiana..... 334, 358
carpenteri..... 341
compacta..... 333, 351
lirata..... 333, 338
saxatilis..... 291
Rohwer, S. A., Descriptions of new species of wasps in the collections of the United States National Museum..... 447
New sawflies in the collections of the United States National Museum..... 377
Ruthven, Alexander G., Description of a new salamander from Iowa..... 517

Saccocoma..... 66, 82, 99, 105

Page.

Salamander, description of a new, from Iowa. 517
Saleima (aurata)..... 594
Samaropsis affinis..... 503
Sawflies, new, in the collections of the United States Museum..... 377
Scaphiocrinus..... 203
Scelecopteris elegans..... 511
Scelio froggatti..... 268
fulgidus..... 269
pulchellus..... 268
Schaller, Waldemar T., Crystallized variscite from Utah..... 413
Schizoblastus..... 181, 205
decussatus..... 206, 220
Schizopteris cf. trichomanoides..... 508, 511
Schutzia? cf. anomala..... 508
Sciæna aurata..... 578
cinerascens..... 596
hamrur..... 528
jarbua..... 538
Scolecopteris elegans..... 508, 510
Scoliocystis..... 20
Scoliqneura luteopicta..... 398
populi..... 398
Scolopsides inermis..... 555, 557
kurita..... 555
Scolopsis bilineata..... 557
inermis..... 555, 557
japonica..... 557
Scyphocrinus..... 31, 54, 55, 56, 114, 123, 126
Scytalocrinus..... 109
gracilis..... 108
Selandria crassa..... 389
(Hoplocampa) lenis..... 384
spissipes..... 384
ruficollis..... 389
sodalis..... 384
Selandridea vanduzeei..... 388, 389
Shark, Notidanoid, description of a new, from the Philippine Islands..... 489
Sharks, Squaloid, of the Philippine Archipelago, with descriptions of new genera and species..... 677
Sigillaria, sp..... 506, 507, 510
Sigillariostrobus hastatus..... 506, 508, 510, 511
Siobla excavata..... 404
Smith, Hugh M., Description of a new Notidanoid shark from the Philippine Islands, representing a new family.. 489
The Squaloid sharks of the Philippine Archipelago, with descriptions of new genera and species..... 677
Solen scalpriformis..... 217
Sophencyrtus..... 275
townsendi..... 276
Sparidæ, a review of, found in the waters of Japan..... 521
Sparosomus auratus..... 575, 578
unicolor..... 579
Sparus aries..... 581, 583, 584, 585, 587
aurata..... 580
berda..... 583, 585, 586
bufonites..... 581
cardinalis..... 573

Page.

Sparus chœrorhynchus 558, 562, 563
chrysopterus 584, 586
datnia 583
diagramma 546
hasta 583, 585
japonicus 563
latus 581, 583, 585, 586, 587
longispinis 586
major 576
pagrus 580
psittacus 581
sarba 581, 583, 586
schlegeli 585, 586
sinensis 564, 585, 586
tumifrons 571
virgatus 564
Spelerpes picadoi 285
Sphenophyllum? sp 506
cf. latifolium 507
obovatum 506, 507, 508, 510
stoukenbergi 507, 512
cf. stoukenbergi 508
cf. thonii 508
Sphenopteris 331
dentata 510
goepperti 323, 324, 325
gomesiana 323
gutzholdi 510
lebachensis 510, 511
mantelli 322, 323, 324, 330
plurinervia 323
schimperiana 510
Sphex (Sphex) nigropilosus 465
Sphyradium, the American species of, with an inquiry as to their generic relationships 371
alticolum 373, 374
edentulum 371, 374, 375, 376
hasta 372, 374
simplex 376
Spilotichthys 549
pictus 546
radjabon 545
Spirifer disjunctus 213
vernonensis 219
Spirifera hirta? 217
Spirontocaris groenlandica opilio 606
Springer, Frank, The crinoid fauna of the Knobstone formation 175
Squaliolus 683
laticaudus 683, 684
Squaloid sharks of the Philippine Archipelago 677
Squalus mitsukurii 679
philippinus 677
Steganocrinus 181
Stejneger, Leonhard, Description of a new Amphisbænoid lizard from Peru 283
Descriptions of three new batrachians from Costa Rica and Panama 285
Stemmatocrinus trautscholdi 204
Stenocrabro plesius 472
Stigmaria, sp 502
Striatopora 218

Page.

Stromboceros curialis 395
(Eustromboceros) gandarai 395
leucostomus 395
melanopterus 394
xanthogaster 395
maculipennis 393
melanopterus 395
(Strombocerida) pallidicornis 394
pilosulus 392
plesius 393
urichi 393
(Stromboceros) barretti 391
Strongylogaster abnormis 399
melanogaster 397
tacitus 396
tuberculiceps 396
uncus 397
Strongyloides papillosus 365
Strongylus nodularis 363
quadriradiatus 363
Strotocrinus 181
Synagris hypselosoma 571
sinensis 564
thunbergii 568
Synagrops argyrea 444
japonicus 444
philippinensis 444
serratospinosa 444
splendens 444
Synbathocrinus angularis 193
robustus 186, 193, 220
swallovi 193
Syringothyris typa 213

Tæniopteris, sp 502, 503, 507
abnormis 506, 507, 511
coriacea 506, 508
var. linearis 508
multinervis 503, 506, 507, 508, 511
Talus tumifrons 571, 576
Taxocrinus 192
Taxonus albidopictus 397, 398
(Parasiobla) rufocinctus virginicus 504
Teleiocrinus 181
Telenomus abnormis 270
dalmani 270
fiskei 270
Tennessee, the Waverlyan period of 209
Tenthredina cylindrica 409
Tenthredo (Allantus) togata 407
brazilensis 391
elegantula 411
elegantula 411
oregana 411
flavescens 388
fortunii 409
smithii 409
Tetrastichus echthrus 279
Thaumatocrinus 65, 66
Therapon jarbua 536, 538
servus 536, 538, 539
oxyrhynchus 538, 539
quadrilineatus 539

Page.

Theraponidæ ... 535
Theretra celerio ... 294
Thinnfeldia montanensis ... 320
variabilis ... 320
Thiollierieinus ... 77, 78, 81
flexuosus ... 75
herberti ... 75
Thompson, William Francis, and David Starr Jordan, A review of the Sparidæ and related families of perch-like fishes found in the waters of Japan ... 521
Thyrsopteris ... 307, 324, 325
alata ... 325
angustiloba ... 325, 330
bella ... 326
brevifolia ... 329
brevipennis ... 332
crassinervis ... 328
crenata ... 332
decurrens ... 326
densifolia ... 325
dentata ... 329
dentifolia ... 330
distans ... 326
divaricata ... 332
elliptica ... 326
elongata ... 322, 325, 331
heterolobe ... 328
heterophylla ... 329
inæquipinnata ... 326
insignis ... 330
angustipennis ... 330
meekiana ... 325, 327
angustiloba ... 325
microlaba ... 326
alata ... 326
microphylla ... 330
murrayana ... 325
nana ... 329
nervosa ... 327
obtusiloba ... 328
pachyphylla ... 329
pachyrachis ... 326
pecopteroides ... 328
pinnatifida ... 326
rarinervis ... 325, 330
retusa ... 329
rhombifolia ... 326
rhombiloba ... 326
sphenopteroides ... 329
squarrosa ... 329
varians ... 326
virginica ... 326
Tiphia canamexica ... 452
fulvitarsis ... 454
mexicana ... 453
Tissues, horny and osseous, preservation of ... 607
Todites williamsoni ... 321
Trichogorytes argenteopilosus ... 469, 470
Trichostrongylus axei ... 363
calcaratus ... 363, 365, 368
capricola ... 363, 365
colubriformis ... 363, 365
extenuatus ... 363
falculatus ... 363, 364, 365
instabilis ... 363, 365
pergracilis ... 363
probolurus ... 363, 365

Page.

Trichostrongylus retortæformis ... 363, 367, 368
tenuis ... 363
vitrinus ... 363, 365
Triphoris bermudensis ... 305
Trochocystis ... 26, 27, 28, 29
Troosticrinus ... 206
Trypoxylon albitarse ... 473
var. mexicana ... 476, 478
basile ... 475
fuscipenne ... 473
gandarai ... 476
leucotrichium ... 477
mexicanum ... 476
neglectum ... 474
palliditarse ... 473
politiforme ... 476
politum ... 473
politus ... 473
saussurei ... 478
Turbo reticulatus ... 333
Tylosaurus ... 482

Uintacrinus ... 65, 66, 82, 84, 85, 86, 87, 88, 93, 94, 97, 98, 99, 100, 101, 102, 103, 104, 105, 125
socialis ... 7
Ullmannia?, sp. ... 508, 510
Utah, crystallized variscite from ... 413

Variscite, crystallized, from Utah ... 413
Vauntompsonia ... 616
Vertigo ovata ... 376
simplex ... 371, 374
Viereck, H. L., Descriptions of one new genus and three new species of Ichneumon-flies ... 293
Voltzia, sp. ... 508, 510

Wachsmuthicrinus ... 181
spinosulus ... 191
Walchia, sp. ... 508
cf. filiciformis ... 508
gracilis? ... 510
cf. gracilis ... 507
hypnoides ... 510
imbricata? ... 507, 511
piniformis ... 506, 508, 510
cf. piniformis ... 511
schneideri? ... 506
Waldheimia ... 391
orbignyana ... 391
Wasps, descriptions of new species of ... 447
Waverlyan period of Tennessee ... 209
White, David, The characters of the fossil plant Gigantopteris Schenk and its occurrence in North America ... 493
Woodocrinus macrodactylus ... 44
Woodpecker, a revision of the forms of the ladder-backed ... 139

Xyster (fuscus) ... 594

Zaleptopygus obereæ ... 295
orbitalis ... 295
Zalophothrix mirum ... 275
Zethus cliffordana ... 219
Zethus ... 217
Zarhopalus ... 277
Zygocrinus nodosus ... 203
Zygocrinus ... 109, 110, 111, 125

UNIV. OF MICHIGAN,
AUG 24 1912